



National Highways & Infrastructure Development
राष्ट्रीय राजमार्ग एवं अवसंरचना विकास निगम लिमिटेड

Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction mode.



PLAN & LONGITUDINAL PROFILE

PACKAGE - 4B

(Km. 130+000 to Km. 141+166.964)

NOVEMBER - 2020

APPROVED



EPC CONTRACTOR:



JC - 25, Sector - III, Salt Lake,
Kolkata - 700098.

DESIGN CONSULTANT:



**SPS Technocrats
Pvt. Ltd.**

510 & 511, JMD Megapolis, Sector 48,
Gurgaon, Haryana - 122018.

CONTENT SHEET

SR. NO.	DRAWING NAME	DRAWING NO	NO OF SHEETS
01	LIST OF DRAWINGS	GPT/CCT/4B/HW/GEN/LOD/01	01
02	LEGENDS & ABBREVIATIONS	GPT/CCT/4B/HW/GEN/LEGEND/01	01
03	HORIZONTAL ALIGNMENT REPORT	GPT/CCT/4B/HW/GEN/HOR/01 TO 05	05
04	VERTICAL ALIGNMENT REPORT	GPT/CCT/4B/HW/GEN/VER/01	01
05	TYPICAL CROSS SECTION	GPT/CCT/4B/HW/GEN/TCS/01 TO 09	09
06	PLAN & LONGITUDINAL PROFILE	GPT/CCT/4B/HW/PP/01 TO 22	44

APPROVED



Shamshavi Techno Solutions Pvt. Ltd


Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN	AMIT	TITLE:	LIST OF DRAWINGS	REV:
				 JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	 M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES E-2ND FLOOR, RK TOWER, SECTOR - V, VIKAS, GURUKUL, INDIA-751010	 PP-87, Tankanagar Road, BPS-7, Indraprastha	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector-48, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.028 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DESIGNED	DHEERESH	SCALE:	AS SHOWN	RO
										CHECKED	VIPUL	DATE: DEC - 2020	DRG.No: GPT/CCT/4B/HW/GEN/LOD/01	

LEGENDS			
SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION
LEGEND FOR PLAN			
	BUILDING (P, SP, K, UC)		COVERED DRAIN
	CULVERT, BRIDGE		11KV ELECTRIC LINE
	GATE		33KV ELECTRIC LINE
	TELEPHONE POLE		TOILET
	ELECTRIC POLE		EXISTING CARRIAGEWAY
	TEMPORARY BENCH MARK		REFERENCE PILLAR
	SIDE ROAD		GPS PILLAR
	NALA & RIVER		SLAB CULVERT
	TRANSFORMER		PROPOSED CARRIAGEWAY EDGE
	KILOMETER POST		PROPOSED HS EDGE
	TREE		PROPOSED CENTER LINE
	VILLAGE NAME		PROPOSED SHOULDER EDGE
	BOUNDARY WALL		PROPOSED RIGHT - OF - WAY
	SURVEY STATION		CONTOUR LINE
	FENCING		PROPOSED TOE LINE
	AGRICULTURAL FIELD		CUTTING TOE LINE
	LAMP POST		FILLING TOE LINE
	RETAINING WALL		EARTHEN SHOULDER
	GARDEN		HOR. TANGENT POINT
	WALL		VER. TANGENT POINT
	TEMPLE		PROP. BOX CULVERT

ABBREVIATIONS	
SYMBOL	DESCRIPTION
$\triangle$	TOTAL DEVIATION ANGLE OF CURVE
R	RADIUS OF CIRCULAR CURVE
Ts	TANGENT LENGTH
Es	APEX DISTANCE
Lc	LENGTH OF CIRCULAR CURVE
e	SUPER ELEVATION
Ls	LENGTH OF TRANSITION CURVE
$\triangle_s$	DEVIATION ANGLE OF TRANSITION CURVE
$\triangle_c$	DEVIATION OR CENTRAL ANGLE OF CIRCULAR CURVE
L	TOTAL LENGTH OF CURVE
S	SHIFT
PC	POINT OF CURVATURE
PT	POINT OF TANGENCY
TS	POINT OF CHANGE FROM TANGENT TO SPIRAL
SC	POINT OF CHANGE FROM SPIRAL TO CIRCULAR CURVE
CS	POINT OF CHANGE FROM CIRCULAR CURVE TO SPIRAL
ST	POINT OF CHANGE FROM SPIRAL TO TANGENT
IL	INVERT LEVEL OF CULVERT
PVI	POINT OF VERTICAL INTERSECTION
Lvs	LENGTH OF VALLEY CURVE
Lsc	LENGTH OF SUMMIT CURVE
HIP	HORIZONTAL INTERSECTION POINT

APPROVED



Shambhavi Techno Solutions Pvt. Ltd

Managing Director

Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	AMIT	TITLE:
				 JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	 M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5,2ND FLOOR, R.K TOWER, SECTOR-4,VAISHALI, GHAZIABAD-201010.	 SUVADRA CONSULTANTS PP-97, Tankapani Road, BBSR-18, Odisha	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector-48, Gurgaon, Haryana - 122019.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuvali section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DRAWN: AMIT DESIGNED: DHEERESH CHECKED: VIPUL	DATE: DEC - 2020	LEGENDS & ABBREVIATIONS
												SCALE: AS SHOWN
												REV: R0
												DRG. NO: GPT/CCT/4B/HW/GEN/LEGEND/01

REFERENCE PILLAR DETAILS

REFERENCE PILLAR DETAILS

TBM No.	Easting (m)	Northing (m)	R.L. (m)
GPS-4	529855.861	2662876.336	806.482
GPS-4A	529787.251	2662888.344	805.457
TBM-C26	529538.780	2662607.268	763.610
TBM-C28	527962.501	2660613.890	819.517
TBM-C30	527756.043	2660343.712	813.728
TBM-C31	527599.926	2660238.127	804.675
TBM-C32	527594.668	2660235.282	804.733
TBM-B20	527425.012	2660054.876	794.574
TBM-B19	527429.022	2660049.124	794.692
TBM-B16	527012.997	2659764.165	805.642
TBM-B15	527007.371	2659766.831	766.527
GPS-5	526974.616	2659627.979	756.879
GPS-5A	526936.732	2659594.215	756.889
GPS-6	526199.953	2657484.206	529.023
GPS-6A	526207.521	2657447.180	526.974

APPROVED



Shambhavi Techno Solutions Pvt. Ltd

Managing Director



Rev.	Date	Description	CLIENT: 	EPC CONTRACTOR:  JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	AUTHORITY ENGINEER:  M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5,2ND FLOOR, RK TOWER, SECTOR-4,VAISHALI, GHAZIABAD-201010.	SAFETY CONSULTANT:  PP-97, Tankapani Road, BBSR-18, Odisha	PROJECT CONSULTANT:  SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	DESIGN CONSULTANT:  SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 48, Gurgaon, Haryana - 122018.	PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DRAWN DESIGNED CHECKED	AMIT DHEERESH VIPUL	TITLE: REFERENCE PILLAR DETAILS SCALE: AS SHOWN DATE: DEC - 2020 DRG. NO: GPT/CCT/4B/HW/GEN/REF.PILLAR/01	REV: R0
------	------	-------------	--	--	---	--	--	---	--	------------------------------	---------------------------	--	------------

ALIGNMENT REPORT

HORIZONTAL ALIGNMENT REPORT

HIP / Curve No.	HIP		Deflection Angle			Element	Start			End			Length (m)	Bearing (dd mm ss)	Hand of Arc	Design Speed (KM/H)	Radius (m)	Superelevation (%)
	Easting (m)	Northing (m)	Deg	Min	Sec		Chainage (m)	Easting (m)	Northing (m)	Chainage (m)	Easting (m)	Northing (m)						
						Start	130000	529887.09	2663056.401	130012.431	529883.725	2663044.434	12.431					
						Transition	130012.431	529883.725	2663044.434	130027.431	529878.952	2663030.230	15.000					
1	529877.805	2663023.385	31	57	31.3	Arc	130027.431	529878.952	2663030.23	130040.320	529872.200	2663019.292	12.889		Right	20.00	50	3.56%
						Transition	130040.32	529872.2	2663019.292	130055.320	529861.641	2663008.659	15.000					
						Straight	130055.32	529861.641	2663008.659	130055.741	529861.330	2663008.376	0.421	227 39 58				
						Transition	130055.741	529861.33	2663008.376	130075.741	529849.116	2662992.820	20.000					
2	529837.519	2662986.684	266	6	3.6	Arc	130075.741	529849.116	2662992.82	130088.517	529848.959	2662980.260	12.776		Left	20.00	-20	7.00%
						Transition	130088.517	529848.959	2662980.26	130108.517	529860.780	2662964.403	20.000					
						Straight	130108.517	529860.78	2662964.403	130113.210	529864.169	2662961.157	4.693	133 46 1.6				
						Transition	130113.21	529864.169	2662961.157	130133.210	529879.474	2662948.338	20.000					
3	529882.398	2662943.696	326	16	32.3	Arc	130133.21	529879.474	2662948.338	130142.640	529887.871	2662944.077	9.430		Left	30.00	-50	7.00%
						Transition	130142.64	529887.871	2662944.077	130162.640	529907.254	2662939.294	20.000					
						Straight	130162.64	529907.254	2662939.294	130164.405	529908.992	2662938.986	1.765	100 2 34				
						Transition	130164.405	529908.992	2662938.986	130184.405	529927.628	2662932.361	20.000					
4	529931.535	2662934.994	63	51	15	Arc	130184.405	529927.628	2662932.361	130186.694	529929.329	2662930.831	2.289		Right	20.00	20	7.00%
						Transition	130186.694	529929.329	2662930.831	130206.694	529937.885	2662912.998	20.000					
						Straight	130206.694	529937.885	2662912.998	130220.968	529941.844	2662899.285	14.274	163 53 48.9				
						Transition	130220.968	529941.844	2662899.285	130240.968	529944.109	2662886.464	20.000					
5	529952.245	2662863.257	105	53	22.1	Arc	130240.968	529944.109	2662879.636	130257.930	529934.240	2662866.464	16.962		Right	20.00	20	7.00%
						Transition	130257.93	529934.24	2662866.464	130277.930	529914.746	2662863.117	20.000					
						Straight	130277.93	529914.746	2662863.117	130294.877	529897.800	2662863.054	16.947	269 47 11				
						Transition	130294.877	529897.8	2662863.054	130309.877	529882.803	2662863.248	15.000					
6	529874.458	2662862.967	12	3	12.7	Arc	130309.877	529882.803	2662863.248	130326.433	529866.341	2662864.924	16.556		Right	40.00	150	4.74%
						Transition	130326.433	529866.341	2662864.924	130341.433	529851.612	2662867.756	15.000					
						Straight	130341.433	529851.612	2662867.756	130386.916	529807.096	2662877.089	45.483	281 50 23.7				
						Transition	130386.916	529807.096	2662877.089	130401.916	529792.470	2662880.410	15.000					
7	529769.749	2662884.918	23	5	40.3	Arc	130401.916	529792.47	2662880.41	130447.378	529750.903	2662898.387	45.462		Right	40.00	150	4.74%
						Transition	130447.378	529750.903	2662898.387	130462.378	529738.466	2662906.769	15.000					
						Straight	130462.378	529738.466	2662906.769	130495.324	529711.456	2662925.636	32.946	304 56 4				
						Transition	130495.324	529711.456	2662925.636	130515.324	529695.729	2662937.952	20.000					
8	529689.36	2662941.07	30	56	47.7	Arc	130515.324	529695.729	2662937.952	130528.272	529687.492	2662947.911	12.948		Right	30.00	61	6.56%
						Transition	130528.272	529687.492	2662947.911	130548.272	529678.346	2662965.670	20.000					
						Straight	130548.272	529678.346	2662965.67	130549.042	529678.032	2662968.373	0.770	335 52 51.7				
						Transition	130549.042	529678.032	2662966.373	130564.042	529670.870	2662979.511	15.000					
9	529662.928	2663000.107	275	13	25.3	Arc	130564.042	529670.87	2662979.511	130596.390	529642.451	2662991.864	32.348		Left	20.00	-32	5.56%
						Transition	130596.39	529642.451	2662991.864	130611.390	529627.959	2662988.138	15.000					
						Straight	130611.39	529627.959	2662988.138	130690.252	529553.346	2662962.599	78.862	251 6 17				
						Transition	130690.252	529553.346	2662962.599	130705.252	529539.319	2662957.302	15.000					
10	529500.306	2662944.444	297	33	19.6	Arc	130705.252	529539.319	2662957.302	130777.441	529494.584	2662903.768	72.189		Left	30	-80	5.00%
						Transition	130777.441	529494.584	2662903.768	130792.441	529491.865	2662889.022	15.000					
						Straight	130792.441	529491.865	2662889.022	130810.469	529489.150	2662871.200	18.028	188 39 36.6				
						Transition	130810.469	529489.15	2662871.2	130825.469	529487.139	2662856.338	15.000					
11	529482.278	2662826.08	331	28	41.5	Arc	130825.469	529487.139	2662856.338	130885.138	529492.925	2662797.343	59.669		Left	40.00	-150	4.74%
						Transition	130885.138	529492.925	2662797.343	130900.138	529497.784	2662783.154	15.000					
						Straight	130900.138	529497.784	2662783.154	131051.808	529549.314	2662640.507	151.670	160 8 18				
						Transition	131051.808	529549.314	2662640.507	131066.808	529553.208	2662626.064	15.000					
12	529569.478	2662584.688	119	23	32.9	Arc	131066.808	529553.208	2662626.064	131114.322	529525.855	2662593.274	47.514		Right	20.00	30	5.93%
						Transition	131114.322	529525.855	2662593.274	131129.322	529510.948	2662594.515	15.000					
						Straight	131129.322	529510.948	2662594.515	131194.702	529446.471	2662605.340	65.380	279 31 50.9				
						Transition	131194.702	529446.471	2662605.34	131214.702	529426.980	2662609.719	20.000					
13	529417.312	2662610.236	35	26	8	Arc	131214.702	529426.98	2662609.719	131232.428	529411.276	2662617.806	17.726		Right	30.00	61	6.56%
						Transition	131232.428	529411.276	2662617.806	131252.428	529396.393	2662631.131	20.000					
						Straight	131252.428	529396.393	2662631.131	131266.317	529386.566	2662640.946	13.889	314 57 58.9				
						Transition	131266.317	529386.566	2662640.946	131286.317	529370.777	2662652.990	20.000					
14	529354.242	2662673.232	251	21	38.9	Arc	131286.317	529370.777	2662652.99	131313.720	529345.072	2662648.756	27.403		Left	20.00	-25	7.00%
						Transition	131313.72	529345.072	2662648.756	131333.720	529333.980	2662632.284	20.000					
						Straight	131333.72	529333.98	2662632.284	131383.285	529311.999	2662587.861	49.565	206 19 37.8				
						Transition	131383.285	529311.999	2662587.861	131398.285	529305.572	2662574.309	15.000					
15	529280.389	2662523.98	313	57	2.2	Arc	131398.285	529305.572	2662574.309	131503.842	529299.616	2662471.088	105.557		Left	40.00	-150	4.74%
						Transition	131503.842	529299.616	2662471.088	131518.842	529304.441	2662456.887	15.000					
						Straight	131518.842	529304.441	2662456.887	131545.866	529313.561	2662431.448	27.024	160 16 40				
						Transition	131545.866	529313.561	2662431.448	131565.866	529318.160	2662412.086	20.000					
16	529339.771	2662358.335	131	25	27.6	Arc	131565.866	529318.16	2662412.086	131614.680	529286.799	2662381.790	48.814		Right	20.00	30	5.93%
						Transition	131614.68	529286.799	2662381.79	131634.680	529267.607	2662387.056	20.000					
						Straight	131634.68	529267.607	2662387.056	131672.611	529232.364	2662401.082	37.931	291 42 7.6				
						Transition	131672.611	529232.364	2662401.082	131687.611	529218.137	2662405.762	15.000					
17	529158.312	2662430.554	239	26	54.8	Arc	131687.611	529218.137	2662405.762	131758.876	529169.175	2662366.713	71.265		Left	20.00	-41	4.34%
						Transition	131758.876	529169.175	2662366.713	131773.876	529170.573	2662351.801	15.000					
						Straight	131773.876	529170.573	2662351.801	131879.261	529186							

HORIZONTAL ALIGNMENT REPORT

HIP / Curve No.	HIP		Deflection Angle			Element	Start			End			Length (m)	Bearing (dd mm ss)	Hand of Arc	Design Speed (KM/H)	Radius (m)	Superelevation (%)
	Easting (m)	Northing (m)	Deg	Min	Sec		Chainage (m)	Easting (m)	Northing (m)	Chainage (m)	Easting (m)	Northing (m)						
						Transition	132212.92	529036.44	2662045.372	132232.920	529039.658	2662025.669	20.000					
						Straight	132232.92	529039.658	2662025.669	132278.735	529044.017	2661980.062	45.815	174 32 28				
						Transition	132278.735	529044.017	2661980.062	132303.735	529043.861	2661955.165	25.000					
21	529047.179	2661946.972	53	2	50.6	Arc	132303.735	529043.861	2661955.165	132316.695	529039.222	2661943.122	12.960		Right	30	41	7.00%
						Transition	132316.695	529039.222	2661943.122	132341.695	529022.637	2661924.553	25.000					
						Straight	132341.695	529022.637	2661924.553	132391.487	528985.874	2661890.971	49.792	227 35 18.6				
						Transition	132391.487	528985.874	2661890.971	132411.487	528970.678	2661877.982	20.000					
22	528958.873	2661866.305	29	26	12.3	Arc	132411.487	528970.678	2661877.982	132443.378	528942.557	2661863.223	31.891		Right	40	101	7.00%
						Transition	132443.378	528942.557	2661863.223	132463.378	528923.235	2661858.094	20.000					
						Straight	132463.378	528923.235	2661858.094	132466.007	528920.673	2661857.504	2.629	257 1 30.8				
						Transition	132466.007	528920.673	2661857.504	132486.007	528901.351	2661852.375	20.000					
23	528884.430	2661849.153	329	54	22.3	Arc	132486.007	528901.351	2661852.375	132519.056	528872.306	2661836.917	33.049		Left	40	-101	7.00%
						Transition	132519.056	528872.306	2661836.917	132539.056	528857.259	2661823.755	20.000					
						Straight	132539.056	528857.259	2661823.755	132540.332	528856.327	2661822.884	1.276	226 55 53.1				
						Transition	132540.332	528856.327	2661822.884	132565.332	528836.509	2661807.814	25.000					
24	528831.506	2661799.682	54	39	28.7	Arc	132565.332	528836.509	2661807.814	132579.445	528822.993	2661804.004	14.113		Right	30	41	7.00%
						Transition	132579.445	528822.993	2661804.004	132604.445	528798.222	2661806.508	25.000					
						Straight	132604.445	528798.222	2661806.508	132605.512	528797.176	2661806.722	1.067	281 35 21.8				
						Transition	132605.512	528797.176	2661806.722	132635.512	528767.490	2661808.238	30.000					
25	528739.687	2661818.512	255	51	52.4	Arc	132635.512	528767.490	2661808.238	132665.490	528745.463	2661789.440	29.978		Left	30	-33	7.00%
						Transition	132665.490	528745.463	2661789.440	132695.490	528742.294	2661759.884	30.000					
						Straight	132695.490	528742.294	2661759.884	132696.357	528742.332	2661759.018	0.867	177 27 14.2				
						Transition	132696.357	528742.332	2661759.018	132711.357	528742.384	2661744.028	15.000					
26	528743.176	2661740.048	21	17	10.2	Arc	132711.357	528742.384	2661744.028	132719.020	528741.306	2661736.447	7.663		Right	30	61	6.56%
						Transition	132719.020	528741.306	2661736.447	132734.020	528737.075	2661722.066	15.000					
						Straight	132734.020	528737.075	2661722.066	132767.603	528726.286	2661690.264	33.583	198 44 24.4				
						Transition	132767.603	528726.286	2661690.264	132782.603	528721.231	2661676.143	15.000					
27	528720.018	2661671.788	9	9	7.9	Arc	132782.603	528721.231	2661676.143	132791.563	528717.685	2661667.915	8.960		Right	40	150	4.74%
						Transition	132791.563	528717.685	2661667.915	132806.563	528710.891	2661654.544	15.000					
						Straight	132806.563	528710.891	2661654.544	132847.037	528691.957	2661618.772	40.474	207 53 32.3				
						Transition	132847.037	528691.957	2661618.772	132867.037	528682.027	2661601.421	20.000					
28	528678.506	2661593.360	21	0	22.6	Arc	132867.037	528682.027	2661601.421	132884.067	528671.462	2661588.090	17.030		Right	40	101	7.00%
						Transition	132884.067	528671.462	2661588.090	132904.067	528656.840	2661574.458	20.000					
						Straight	132904.067	528656.840	2661574.458	133052.677	528644.855	2661476.763	148.610	228 53 54.9				
						Transition	133052.677	528644.855	2661476.763	133072.677	528629.365	2661464.125	20.000					
29	528521.172	2661456.102	23	55	22.3	Arc	133072.677	528629.365	2661464.125	133094.848	528610.039	2661453.351	22.171		Right	40	101	7.00%
						Transition	133094.848	528610.039	2661453.351	133114.848	528491.145	2661446.819	20.000					
						Straight	133114.848	528491.145	2661446.819	133137.772	528469.244	2661440.049	22.924	252 49 17.2				
						Transition	133137.772	528469.244	2661440.049	133157.772	528450.350	2661433.517	20.000					
30	528406.464	2661420.641	302	18	51.1	Arc	133157.772	528450.350	2661433.517	133239.459	528395.160	2661376.324	81.687		Left	40.00	-101	7.00%
						Transition	133239.459	528395.160	2661376.324	133259.459	528389.306	2661357.209	20.000					
						Straight	133259.459	528389.306	2661357.209	133329.088	528371.126	2661289.996	69.629	195 8 8.3				
						Transition	133329.088	528371.126	2661289.996	133359.088	528367.777	2661260.460	30.000					
31	528361.062	2661252.789	290	33	55.7	Arc	133359.088	528367.777	2661260.460	133369.079	528371.112	2661251.082	9.991		Left	30.00	-33	7.00%
						Transition	133369.079	528371.112	2661251.082	133399.079	528362.362	2661230.296	30.000					
						Straight	133399.079	528362.362	2661230.296	133402.309	528394.985	2661228.412	3.230	125 42 4				
						Transition	133402.309	528394.985	2661228.412	133427.309	528413.788	2661212.065	25.000					
32	528466.532	2661176.998	117	51	17.7	Arc	133427.309	528413.788	2661212.065	133494.872	528408.833	2661150.872	67.563		Right	30	45	7.00%
						Transition	133494.872	528408.833	2661150.872	133519.872	528387.646	2661137.763	25.000					
						Straight	133519.872	528387.646	2661137.763	133564.867	528347.359	2661117.726	44.995	243 33 21.8				
						Transition	133564.867	528347.359	2661117.726	133579.867	528333.838	2661111.234	15.000					
33	528304.167	2661096.244	25	29	55.6	Arc	133579.867	528333.838	2661111.234	133644.974	528270.926	2661095.904	65.107		Right	40	180	3.95%
						Transition	133644.974	528270.926	2661095.904	133659.974	528255.934	2661095.448	15.000					
						Straight	133659.974	528255.934	2661095.448	133682.861	528233.050	2661095.071	22.887	269 3 17.3				
						Transition	133682.861	528233.050	2661095.071	133707.861	528208.327	2661088.443	25.000					
34	528202.337	2661094.564	312	38	42.2	Arc	133707.861	528208.327	2661088.443	133716.748	528181.903	2661071.629	8.887		Left	30	-41	7.00%
						Transition	133716.748	528208.327	2661088.443	133741.748	528172.822	2661061.436	25.000					
						Straight	133741.748	528181.903	2661071.629	133755.399	528160.367	2661045.818	13.651	221 41 59.5				
						Transition	133755.399	528172.822	2661061.436	133775.399	528153.482	2660995.736	20.000					
35	528138.814	2661023.267	292	15	19.9	Arc	133775.399	528160.367	2661045.818	133827.523	528161.260	2660977.337	52.124		Left	30	-61	6.56%
						Transition	133827.523	528153.482	2660995.736	133847.523	528193.497	2660911.371	20.000					
						Straight	133847.523	528161.260	2660977.337	133920.945	528203.235	2660893.929	73.422	153 57 19.4				
						Transition	133920.945	528193.497	2660911.371	133940.945	528215.446	2660881.177	20.000					
36	528206.477	2660884.811	324	34	20.9	Arc	133940.945	528203.235	2660893.929	133958.663	528232.450	2660870.693	17.718		Left	30	-61	6.56%
						Transition	133958.663	528215.446	2660881.177	133978.663	528262.581	2660854.314	20.000					
						Straight	133978.663	528232.450	2660870.693	134012.958	528278.155	2660842.121	34.295	118 31 40.3				
						Transition	134012.958	528262.581	2660854.314	134032.958	528271.814	2660814.237	20.000					
37	528336.313	2660814.234	148	33	54	Arc	134032.958	528278.155	2660842.121	134064.817	528252.500	2660809.978	31.859		Right	20	20	7.00%
						Transition	134064.817	528271.814	2660									

HORIZONTAL ALIGNMENT REPORT

HIP / Curve No.	HIP		Deflection Angle			Element	Start			End			Length (m)	Bearing (dd mm ss)	Hand of Arc	Design Speed (KM/H)	Radius (m)	Superelevation (%)
	Easting (m)	Northing (m)	Deg	Min	Sec		Chainage (m)	Easting (m)	Northing (m)	Chainage (m)	Easting (m)	Northing (m)						
40	528000.82	2660629.842	30	27	24.1	Arc	134422.577	528002.768	2660641.297	134444.787	527992.550	2660621.681	22.210		Right	30	70	5.71%
						Transition	134444.787	527992.55	2660621.681	134459.787	527982.775	2660610.313	15.000					
						Straight	134459.787	527982.775	2660610.313	134488.633	527963.198	2660589.127	28.846	222 44 21.3				
						Transition	134488.633	527963.198	2660589.127	134503.633	527953.204	2660577.944	15.000					
41	527936.052	2660559.750	335	33	34.8	Arc	134503.633	527953.204	2660577.944	134552.617	527928.439	2660535.933	48.984		Left	40	-150	4.74%
						Transition	134552.617	527928.439	2660535.933	134567.617	527923.493	2660521.773	15.000					
						Straight	134567.617	527923.493	2660521.773	134612.202	527909.495	2660479.443	44.585	198 17 56.2				
						Transition	134612.202	527909.495	2660479.443	134632.202	527901.978	2660460.948	20.000					
42	527902.007	2660456.801	30	47	42.6	Arc	134632.202	527901.978	2660460.948	134639.076	527898.167	2660455.234	6.874		Right	30.00	50	7.00%
						Transition	134639.076	527898.167	2660455.234	134659.076	527883.983	2660441.185	20.000					
						Straight	134659.076	527883.983	2660441.185	134671.746	527874.407	2660432.888	12.670	229 5 38.8				
						Transition	134671.746	527874.407	2660432.888	134686.746	527863.434	2660422.673	15.000					
43	527855.747	2660416.721	332	27	9.9	Arc	134686.746	527863.434	2660422.673	134705.401	527852.680	2660407.496	18.655		Left	30.00	-70	5.71%
						Transition	134705.401	527852.68	2660407.496	134720.401	527846.680	2660393.757	15.000					
						Straight	134720.401	527846.68	2660393.757	134734.824	527841.382	2660380.342	14.423	201 32 48.7				
						Transition	134734.824	527841.382	2660380.342	134754.824	527832.830	2660362.302	20.000					
44	527825.706	2660340.64	66	1	4.9	Arc	134754.824	527832.83	2660362.302	134792.436	527802.906	2660341.001	37.612		Right	30.00	50	7.00%
						Transition	134792.436	527802.906	2660341.001	134812.436	527783.060	2660338.826	20.000					
						Straight	134812.436	527783.06	2660338.826	134983.454	527612.196	2660331.560	171.018	267 33 53.6				
						Transition	134983.454	527612.196	2660331.56	135003.454	527592.847	2660327.460	20.000					
45	527575.65	2660330.006	255	59	15.8	Arc	135003.454	527592.847	2660327.46	135019.761	527583.624	2660314.558	16.307		Left	20.00	-20	7.00%
						Transition	135019.761	527583.624	2660314.558	135039.761	527586.007	2660294.924	20.000					
						Straight	135039.761	527586.007	2660294.924	135092.211	527600.857	2660244.620	52.450	163 33 9.4				
						Transition	135092.211	527600.857	2660244.62	135117.211	527605.449	2660220.151	25.000					
46	527611.526	2660208.481	62	24	42.9	Arc	135117.211	527605.449	2660220.151	135136.872	527600.489	2660201.320	19.661		Right	30.00	41	7.00%
						Transition	135136.872	527600.489	2660201.32	135161.872	527584.437	2660182.289	25.000					
						Straight	135161.872	527584.437	2660182.289	135181.264	527570.496	2660168.809	19.392	225 57 52.3				
47	527528.903	2660128.594	4	25	3.5	Arc	135181.264	527570.496	2660168.809	135296.917	527448.336	2660091.702	115.653		Right	40	1500	2.50%
						Straight	135296.917	527448.336	2660091.702	135341.907	527449.680	2660063.013	44.990	230 22 55.8				
						Transition	135341.907	527449.68	2660063.013	135361.907	527433.619	2660051.135	20.000					
48	527428.609	2660045.571	31	38	30	Arc	135361.907	527433.619	2660051.135	135375.594	527421.122	2660045.623	13.687		Right	30.00	61	6.56%
						Transition	135375.594	527421.122	2660045.623	135395.594	527401.520	2660041.775	20.000					
						Straight	135395.594	527401.52	2660041.775	135412.549	527384.730	2660039.423	16.955	262 1 25.8				
						Transition	135412.549	527384.73	2660039.423	135432.549	527365.187	2660035.342	20.000					
49	527356.255	2660035.433	319	6	18.7	Arc	135432.549	527365.187	2660035.342	135448.236	527351.447	2660027.906	15.687		Left	30.00	-50	7.00%
						Transition	135448.236	527351.447	2660027.906	135468.236	527337.343	2660013.776	20.000					
						Straight	135468.236	527337.343	2660013.776	135565.205	527273.561	2659940.736	96.969	221 7 44.5				
						Transition	135565.205	527273.561	2659940.736	135585.205	527259.620	2659926.429	20.000					
50	527232.686	2659893.928	80	48	17.7	Arc	135585.205	527259.62	2659926.429	135651.234	527197.452	2659917.173	66.029		Right	30	61	6.56%
						Transition	135651.234	527197.452	2659917.173	135671.234	527179.948	2659926.798	20.000					
						Straight	135671.234	527179.948	2659926.798	135696.126	527158.823	2659939.964	24.892	301 56 2.2				
						Transition	135696.126	527158.823	2659939.964	135716.126	527141.215	2659949.373	20.000					
51	527109.296	2659970.833	272	16	31.2	Arc	135716.126	527141.215	2659949.373	135772.680	527088.784	2659938.297	56.554		Left	30.00	-50	7.00%
						Transition	135772.68	527088.784	2659938.297	135792.680	527076.485	2659922.570	20.000					
						Straight	135792.68	527076.485	2659922.57	135881.170	527026.734	2659849.390	88.490	214 12 33.4				
						Transition	135881.17	527026.734	2659849.39	135896.170	527019.084	2659836.513	15.000					
52	527013.709	2659830.23	318	21	48.7	Arc	135896.17	527019.084	2659836.513	135910.965	527015.676	2659822.199	14.795		Left	20.00	-41	4.34%
						Transition	135910.965	527015.676	2659822.199	135925.965	527016.704	2659807.257	15.000					
						Straight	135925.965	527016.704	2659807.257	135943.396	527018.957	2659789.971	17.431	172 34 22.1				
						Transition	135943.396	527018.957	2659789.971	135958.396	527019.650	2659775.029	15.000					
53	527022.188	2659765.187	60	1	32	Arc	135958.396	527019.65	2659775.029	135974.826	527013.419	2659760.048	16.430		Right	20.00	30	5.93%
						Transition	135974.826	527013.419	2659760.048	135989.826	527002.333	2659750.006	15.000					
						Straight	135989.826	527002.333	2659750.006	136016.191	526981.389	2659733.992	26.365	232 35 54.1				
						Transition	136016.191	526981.389	2659733.992	136031.191	526970.135	2659724.115	15.000					
54	526936.898	2659699.974	255	2	17.2	Arc	136031.191	526970.135	2659724.115	136083.972	526970.036	2659675.697	52.781		Left	20.00	-37	4.80%
						Transition	136083.972	526970.036	2659675.697	136098.972	526981.249	2659665.774	15.000					
						Straight	136098.972	526981.249	2659665.774	136099.571	526981.723	2659665.408	0.599	127 38 11.3				
						Transition	136099.571	526981.723	2659665.408	136114.571	526992.768	2659655.320	15.000					
55	527031.96	2659626.67	123	6	30.8	Arc	136114.571	526992.768	2659655.32	136164.031	526985.733	2659611.840	49.460		Right	20.00	30	5.93%
						Transition	136164.031	526985.733	2659611.84	136179.031	526972.071	2659605.750	15.000					
						Straight	136179.031	526972.071	2659605.75	136328.475	526830.987	2659556.467	149.444	250 44 42				
						Transition	136328.475	526830.987	2659556.467	136358.475	526804.448	2659542.953	30.000					
56	526726.246	2659519.88	223	11	12.3	Arc	136358.475	526804.448	2659542.953	136416.825	526802.306	2659490.508	58.350		Left	30.00	-37	7.00%
						Transition	136416.825	526802.306	2659490.508	136446.825	526827.655	2659474.875	30.000					
						Straight	136446.825	526827.655	2659474.875	136477.040	526855.272	2659462.618	30.215	113 55 54.3				
						Transition	136477.040	526855.272	2659462.618	136492.040	526868.749	2659456.051	15.000					
57	526895.292	2659444.857	54	42	50.6	Arc	136492.040	526868.749	2659456.051	136543.886	526900.437	2659416.514	51.846		Right	30.00	70	5.71%
						Transition	136543.886	526900.437	2659416.514	136558.886	526							

HORIZONTAL ALIGNMENT REPORT

HIP / Curve No.	HIP		Deflection Angle			Element	Start			End			Length (m)	Bearing (dd mm ss)	Hand of Arc	Design Speed (KM/H)	Radius (m)	Superelevation (%)
	Easting (m)	Northing (m)	Deg	Min	Sec		Chainage (m)	Easting (m)	Northing (m)	Chainage (m)	Easting (m)	Northing (m)						
						Transition	136949.61	526660.57	2659185.736	136984.610	526653.651	2659151.541	35.000					
						Straight	136984.61	526653.651	2659151.541	137068.932	526644.396	2659067.729	84.322	186 18 4.4				
61	526641.764	2659043.893	4	34	39.1	Arc	137068.932	526644.396	2659067.729	137116.867	526637.238	2659020.343	47.935		Right	40.00	600	2.50%
						Straight	137116.867	526637.238	2659020.343	137129.600	526634.835	2659007.839	12.733	190 52 43.5				
62	526619.464	2658927.859	336	58	57.6	Arc	137129.6	526634.835	2659007.839	137290.292	526636.590	2658848.236	160.692		Left	40	-400	2.50%
						Straight	137290.292	526636.59	2658848.236	137308.817	526640.485	2658830.125	18.525	167 51 41.1				
						Transition	137308.817	526640.485	2658830.125	137333.817	526642.053	2658805.395	25.000					
63	526678.866	2658651.681	160	42	1.7	Arc	137333.817	526642.053	2658805.395	137387.350	526599.576	2658788.416	53.533		Right	20	28	6.35%
						Transition	137387.35	526599.576	2658788.416	137412.350	526583.665	2658807.412	25.000					
						Straight	137412.35	526583.665	2658807.412	137512.385	526531.489	2658892.762	100.035	328 33 42.8				
						Transition	137512.385	526531.489	2658892.762	137532.385	526519.965	2658909.065	20.000					
64	526512.475	2658923.866	304	31	20.7	Arc	137532.385	526519.965	2658909.065	137560.798	526495.892	2658923.428	28.413		Left	30	-50	7.00%
						Transition	137560.798	526495.892	2658923.428	137580.798	526476.072	2658925.828	20.000					
						Straight	137580.798	526476.072	2658925.828	137710.423	526346.635	2658932.802	129.625	273 5 3.5				
						Transition	137710.423	526346.635	2658932.802	137730.423	526326.982	2658930.582	20.000					
65	526287.527	2658935.987	225	49	14.9	Arc	137730.423	526326.982	2658930.582	137757.260	526316.082	2658908.229	26.837		Left	20	-20	7.00%
						Transition	137757.26	526316.082	2658908.229	137777.260	526326.436	2658891.377	20.000					
						Straight	137777.26	526326.436	2658891.377	137778.355	526327.156	2658890.552	1.095	138 54 18.4				
						Transition	137778.355	526327.156	2658890.552	137793.355	526336.016	2658878.500	15.000					
66	526355.043	2658858.578	98	7	4.5	Arc	137793.355	526336.016	2658878.5	137829.730	526331.279	2658844.643	36.375		Right	20	30	5.93%
						Transition	137829.73	526331.279	2658844.643	137844.730	526319.452	2658835.485	15.000					
						Straight	137844.73	526319.452	2658835.485	137901.753	526271.616	2658804.447	57.023	237 1 23				
						Transition	137901.753	526271.616	2658804.447	137916.753	526259.788	2658795.290	15.000					
67	526234.390	2658780.294	258	49	4	Arc	137916.753	526259.788	2658795.29	137954.732	526255.812	2658760.020	37.979		Left	20	-30	5.93%
						Transition	137954.732	526255.812	2658760.02	137969.732	526265.304	2658748.459	15.000					
						Straight	137969.732	526265.304	2658748.459	138024.863	526303.711	2658708.908	55.131	135 50 27				
						Transition	138024.863	526303.711	2658708.908	138039.863	526313.203	2658697.347	15.000					
68	526364.703	2658646.099	138	31	39.8	Arc	138039.863	526313.203	2658697.347	138097.396	526292.366	2658652.873	57.533		Right	20	30	5.93%
						Transition	138097.396	526292.366	2658652.873	138112.396	526277.408	2658652.768	15.000					
						Straight	138112.396	526277.408	2658652.768	138227.900	526162.239	2658661.566	115.504	274 22 6.8				
						Transition	138227.9	526162.239	2658661.566	138252.900	526137.350	2658660.936	25.000					
69	526108.569	2658665.666	270	22	11.1	Arc	138252.9	526137.35	2658660.936	138292.038	526108.684	2658636.499	39.138		Left	30	-41	7.00%
						Transition	138292.038	526108.684	2658636.499	138317.038	526104.123	2658612.023	25.000					
						Straight	138317.038	526104.123	2658612.023	138323.298	526103.606	2658605.785	6.260	184 44 17.8				
						Transition	138323.298	526103.606	2658605.785	138348.298	526100.250	2658581.039	25.000					
70	526100.927	2658573.469	27	52	42.8	Arc	138348.298	526100.25	2658581.039	138362.224	526095.796	2658567.863	13.926		Right	40	80	7.00%
						Transition	138362.224	526095.796	2658567.863	138387.224	526083.448	2658545.156	25.000					
						Straight	138387.224	526083.448	2658546.156	138470.670	526038.469	2658475.870	83.446	212 37 0.6				
						Transition	138470.67	526038.469	2658475.87	138485.670	526031.482	2658462.643	15.000					
71	525999.538	2658415.034	230	10	39.5	Arc	138485.67	526031.482	2658462.643	138538.645	526056.249	2658423.458	52.975		Left	20.00	-30	5.93%
						Transition	138538.645	526056.249	2658423.458	138553.645	526071.194	2658424.093	15.000					
						Straight	138553.645	526071.194	2658424.093	138559.983	526077.482	2658424.888	6.338	82 47 40.1				
						Transition	138559.983	526077.482	2658424.888	138579.983	526097.244	2658424.086	20.000					
72	526127.398	2658431.199	125	27	14.5	Arc	138579.983	526097.244	2658424.086	138603.775	526109.932	2658405.610	23.792		Right	20.00	20	7.00%
						Transition	138603.775	526109.932	2658405.61	138623.775	526103.585	2658386.878	20.000					
						Straight	138623.775	526103.585	2658386.878	138639.555	526096.116	2658372.977	15.780	208 14 54.6				
						Transition	138639.555	526096.116	2658372.977	138659.555	526089.123	2658354.391	20.000					
73	526074.535	2658332.810	251	29	44.2	Arc	138659.555	526089.123	2658354.391	138686.899	526100.523	2658331.022	27.344		Left	20	-25	7.00%
						Transition	138686.899	526100.523	2658331.022	138706.899	526119.475	2658325.093	20.000					
						Straight	138706.899	526119.475	2658325.093	138726.356	526138.651	2658321.8	19.457	99 44 38.8				
						Transition	138726.356	526138.651	2658321.8	138746.356	526157.321	2658315.271	20.000					
74	526189.352	2658313.093	126	43	51.1	Arc	138746.356	526157.321	2658315.271	138770.593	526163.940	2658293.473	24.237		Right	20	20	7.00%
						Transition	138770.593	526163.94	2658293.473	138790.593	526152.052	2658277.666	20.000					
						Straight	138790.593	526152.052	2658277.666	138840.695	526115.724	2658243.162	50.102	226 28 29.8				
						Transition	138840.695	526115.724	2658243.162	138860.695	526100.365	2658230.407	20.000					
75	526095.615	2658224.062	38	50	44.4	Arc	138860.695	526100.365	2658230.407	138874.594	526087.718	2658224.750	13.899		Right	30	50	7.00%
						Transition	138874.594	526087.718	2658224.75	138894.594	526067.973	2658221.799	20.000					
						Straight	138894.594	526067.973	2658221.799	138928.725	526033.956	2658219.015	34.131	265 19 14.3				
						Transition	138928.725	526033.956	2658219.015	138948.725	526013.994	2658218.715	20.000					
76	526002.313	2658216.425	46	45	52.9	Arc	138948.725	526013.994	2658218.715	138969.535	525994.425	2658225.340	20.810		Right	30	50	7.00%
						Transition	138969.535	525994.425	2658225.34	138989.535	525978.750	2658237.705	20.000					
						Straight	138989.535	525978.75	2658237.705	138999.637	525978.675	2658237.773	0.102	312 5 7.2				
						Transition	138989.637	525978.675	2658237.773	139009.637	525962.004	2658248.416	20.000					
77	525942.465	2658270.474	236	21	33.1	Arc	139009.637	525962.004	2658248.416	139032.795	525941.403	2658241.026	23.158		Left	20	-20	7.00%
						Transition	139032.795	525941.403	2658241.026	139052.795	525935.300	2658222.212	20.000					
						Straight	139052.795	525935.3	2658222.212	139123.616	525924.900	2658152.160	70.821	188 26 40.3				
						Transition	139123.616	525924.9	2658152.16	139143.616	525920.660	2658132.651	20.000					
78	525920.935	2658125.453	37	21	5.2	Arc	139143.616	525920.66	2658132.651	139156.211	525914.933	2658121.470	12.595		Right	30	50	7.00%
						Transition	139156.211	525914.933	2658121.47	139176.211	525901.580	2658106.628	20.000					
						Straight	139176.211	525901.58	2658106.628	139263.468	525839.028	2658045.791	87.257	225 47 45.4				
						Transition	139263.468	525839.028</										


HIP / Curve No.	HIP		Deflection Angle			Element	Start			End			Length (m)	Bearing (dd mm ss)	Hand of Arc	Design Speed (KM/H)	Radius (m)	Superelevation (%)
	Easting (m)	Northing (m)	Deg	Min	Sec		Chainage (m)	Easting (m)	Northing (m)	Chainage (m)	Easting (m)	Northing (m)						
81	525874.198	2657799.67	49	42	27.1	Arc	139521.271	525869.947	2657804.893	139532.297	525870.643	2657793.950	11.026		Right	20	30	5.93%
						Transition	139532.297	525870.643	2657793.95	139547.297	525866.411	2657779.603	15.000					
						Straight	139547.297	525866.411	2657779.603	139625.908	525837.971	2657706.317	78.611	201 12 35				
						Transition	139625.908	525837.971	2657706.317	139665.908	525828.645	2657667.712	40.000					
82	525810.555	2657635.671	265	7	44.4	Arc	139665.908	525828.645	2657667.712	139708.698	525846.983	2657630.487	42.790		Left	40	-50	7.00%
						Transition	139708.698	525846.983	2657630.487	139748.698	525883.274	2657614.353	40.000					
						Straight	139748.698	525883.274	2657614.353	139918.831	526046.537	2657566.492	170.133	106 20 19.4				
						Transition	139918.831	526046.537	2657566.492	139938.831	526065.371	2657559.834	20.000					
83	526073.335	2657558.636	32	37	49.5	Arc	139938.831	526065.371	2657559.834	139953.571	526077.751	2657551.900	14.740		Right	30.00	61	6.56%
						Transition	139953.571	526077.751	2657551.9	139973.571	526091.668	2657537.570	20.000					
						Straight	139973.571	526091.668	2657537.57	139997.913	526107.647	2657519.208	24.342	138 58 8.8				
						Transition	139997.913	526107.647	2657519.208	140017.913	526121.727	2657505.054	20.000					
84	526126.736	2657497.272	318	27	17.9	Arc	140017.913	526121.727	2657505.054	140034.168	526135.990	2657497.407	16.255		Left	30.00	-50	7.00%
						Transition	140034.168	526135.99	2657497.407	140054.168	526155.571	2657493.515	20.000					
						Straight	140054.168	526155.571	2657493.515	140067.788	526169.077	2657491.755	13.620	97 25 26.7				
						Transition	140067.788	526169.077	2657491.755	140097.788	526197.638	2657483.516	30.000					
85	526214.415	2657485.847	84	10	30.6	Arc	140097.788	526197.638	2657483.516	140116.270	526209.482	2657469.644	18.482		Right	30.00	33	7.00%
						Transition	140116.27	526209.482	2657469.644	140146.270	526213.139	2657440.144	30.000					
						Straight	140146.27	526213.139	2657440.144	140246.472	526210.342	2657339.981	100.202	181 35 57.4				
						Transition	140246.472	526210.342	2657339.981	140261.472	526209.013	2657325.063	15.000					
86	526209.628	2657314.391	47	25	27.7	Arc	140261.472	526209.013	2657325.063	140280.408	526200.989	2657308.096	18.936		Right	20.00	41	4.34%
						Transition	140280.408	526200.989	2657308.096	140295.408	526190.300	2657297.604	15.000					
						Straight	140295.408</											

CHAITANYA PROJECTS CONSULTANCY PVT. LTD. ★ INSPR ★
In association with
CHAITANYA & ASSOCIATES

DESIGN DIRECTOR


Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN	AMIT	TITLE:	HORIZONTAL ALIGNMENT REPORT	
				 JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	 M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, R TOWER, SECTOR-4, VAISHNAVI, GHAZIABAD-201010	 PP-97, Tankapani Road, PRSR-1A, Odisha	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 46, Gurugram, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DESIGNED	DHEERESH	SCALE:	AS SHOWN	REV:
										CHECKED	VIPUL			R0
										DATE: DEC - 2020		DRG.No:	GPT/CT/48/HW/GEN/HOR/05	

VERTICAL ALIGNMENT REPORT

S.No.	Vertical Intersection Points			Element	Vertical Tangent Points					Radius (m)	M Value	K Value	Length of Element (m)
	Chainage (m)	Level (m)	%Grade Diff.		Start Chainage (m)	Level (m)	End Chainage (m)	Level (m)	Grade (%)				
1				Grade	130000.000	826.172	130189.904	815.589	-5.573				189.904
2	130219.904	813.917	-0.417	Hog Curve	130189.904	815.589	130249.904	812.120		-14377	-0.696	143.767	60.000
3				Grade	130249.904	812.120	131017.567	766.138	-5.990				767.663
4	131117.567	760.148	12.319	Sag Curve	131017.567	766.138	131217.567	766.476		1624	6.159	16.236	200.000
5				Grade	131217.567	766.476	131257.324	768.992	6.329				39.757
6	131307.324	772.156	-4.320	Hog Curve	131257.324	768.992	131357.324	773.160		-2315	-4.320	23.146	100.000
7				Grade	131357.324	773.160	131517.438	776.376	2.008				160.114
8	131547.438	776.978	-0.820	Hog Curve	131517.438	776.376	131577.438	777.335		-7313	-1.367	73.133	60.000
9				Grade	131577.438	777.335	131869.516	780.804	1.188				292.078
10	131969.516	781.992	-7.986	Hog Curve	131869.516	780.804	132069.516	775.194		-2504	-3.993	25.044	200.000
11				Grade	132069.516	775.194	132163.311	768.817	-6.798				93.795
12	132263.312	762.019	7.522	Sag Curve	132163.311	768.817	132363.311	762.743		2659	3.761	26.589	200.000
13				Grade	132363.311	762.743	132520.006	763.877	0.724				156.695
14	132595.006	764.420	1.105	Sag Curve	132520.006	763.877	132670.006	765.792		13571	0.737	135.709	150.000
15				Grade	132670.006	765.792	132719.886	766.704	1.829				49.880
16	132749.886	767.253	2.899	Sag Curve	132719.886	766.704	132779.886	768.671		2070	4.832	20.697	60.000
17				Grade	132779.886	768.671	133186.917	787.916	4.728				407.031
18	133216.917	789.334	-1.232	Hog Curve	133186.917	787.916	133246.917	790.383		-4871	-2.053	48.710	60.000
19				Grade	133246.917	790.383	133429.735	796.775	3.496				182.818
20	133459.735	797.824	-5.494	Hog Curve	133429.735	796.775	133489.735	797.224		-1092	-9.157	10.920	60.000
21				Grade	133489.735	797.224	133760.136	791.822	-1.998				270.401
22	133860.136	789.823	7.060	Sag Curve	133760.136	791.822	133960.136	794.885		2833	3.530	28.330	200.000
23				Grade	133960.136	794.885	134431.512	818.745	5.062				471.376
24	134461.512	820.263	-6.548	Hog Curve	134431.512	818.745	134491.512	819.817		-916	-10.913	9.164	60.000
25				Grade	134491.512	819.817	134781.036	815.515	-1.486				289.524
26	134811.036	815.069	-3.058	Hog Curve	134781.036	815.515	134841.036	813.706		-1962	-5.097	19.620	60.000
27				Grade	134841.036	813.706	134997.895	806.578	-4.544				156.859
28	135027.895	805.215	1.736	Sag Curve	134997.895	806.578	135057.895	804.373		3457	2.893	34.567	60.000
29				Grade	135057.895	804.373	135434.192	793.805	-2.808				376.297
30	135464.192	792.963	-2.136	Hog Curve	135434.192	793.805	135494.192	791.479		-2808	-3.561	28.084	60.000
31				Grade	135494.192	791.479	136429.898	745.211	-4.945				935.706
32	136459.898	743.728	-0.918	Hog Curve	136429.898	745.211	136489.898	741.969		-6539	-1.529	65.386	60.000
33				Grade	136489.898	741.969	137301.526	694.388	-5.862				811.628
34	137331.526	692.630	3.402	Sag Curve	137301.526	694.388	137361.526	691.892		1763	5.671	17.634	60.000
35				Grade	137361.526	691.892	137475.605	689.085	-2.460				114.079
36	137575.605	686.625	-4.540	Hog Curve	137475.605	689.085	137675.605	679.625		-4405	-2.270	44.052	200.000
37				Grade	137675.605	679.625	137712.396	677.050	-7.000				36.791
38	138112.396	649.050	0.597	Sag Curve	137712.396	677.050	138512.396	623.438		134024	0.075	1340.303	800.000
39				Grade	138512.396	623.438	138587.634	618.620	-6.403				75.238
40	138617.634	616.699	0.433	Sag Curve	138587.634	618.620	138647.634	614.908		13854	0.722	138.541	60.000
41				Grade	138647.634	614.908	138773.672	607.384	-5.970				126.038
42	139123.672	586.489	-1.030	Hog Curve	138773.672	607.384	139473.672	561.989		-67961	-0.147	679.625	700.000
43				Grade	139473.672	561.989	139504.155	559.855	-7.000				30.483
44	139829.155	537.105	2.712	Sag Curve	139504.155	559.855	140154.155	523.168		23971	0.417	239.705	650.000
45				Grade	140154.155	523.168	140292.609	517.230	-4.288				138.454
46	140392.609	512.942	-1.987	Hog Curve	140292.609	517.230	140492.609	506.667		-10065	-0.994	100.650	200.000
47				Grade	140492.609	506.667	140585.000	500.869	-6.275				92.391
48	140660.000	496.162	1.729	Sag Curve	140585.000	500.869	140735.000	492.752		8677	1.152	86.772	150.000
49				Grade	140735.000	492.752	140913.003	484.659	-4.547				178.003
50	140943.003	483.295	4.547	Sag Curve	140913.003	484.659	140973.003	483.295		1320	7.578	13.196	60.000
51				Grade	140973.003	483.295	141166.964	483.295	0.000				193.961

.....
DESIGN DIRECTOR

Shambhavi Techno Solutions Pvt. Ltd



Managing Director

Handwritten signature: *Hush*


Stamp: SUVADRA CONSULTANTS
Regd. No. 11/2004-05
BHUBANESHWAR

Stamp: CHAITANYA PROJECTS CONSULTANCY PVT. LTD.
Regd. No. 11-1028
CCP Ur

Stamp: APPROVED

Rev.	Date	Description	 MIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	EPC CONTRACTOR:  GPT Group JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	AUTHORITY ENGINEER:  M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-6/2ND FLOOR, RK TOWER, SECTOR - 1 A, MIDC AREA, BANGALORE 560060	SAFETY CONSULTANT:  SUVADRA CONSULTANTS INCORPORATED IN INDIA ON 15/05/2018 PP-97, Tankapani Road, PPSD 18, Adajan	PROOF CONSULTANT:  SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Batna-801001	DESIGN CONSULTANT:  SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapolis, Sector 48, Gurgaon, Haryana - 122018.	PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.00 to Km 141.029 (Package 4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	<table><tr><td>DRAWN</td><td>AMIT</td></tr><tr><td>DESIGNED</td><td>DHEERESH</td></tr><tr><td>CHECKED</td><td>VIPUL</td></tr><tr><td colspan="2">DATE: DEC - 2020</td></tr></table>	DRAWN	AMIT	DESIGNED	DHEERESH	CHECKED	VIPUL	DATE: DEC - 2020		<table><tr><td>TITLE:</td><td>VERTICAL ALIGNMENT REPORT</td></tr><tr><td>SCALE:</td><td>AS SHOWN</td></tr><tr><td>DRG. NO:</td><td>GPT/CCT/4B/HW/GEN/VER/01</td></tr></table>	TITLE:	VERTICAL ALIGNMENT REPORT	SCALE:	AS SHOWN	DRG. NO:	GPT/CCT/4B/HW/GEN/VER/01	REV	R
DRAWN	AMIT																										
DESIGNED	DHEERESH																										
CHECKED	VIPUL																										
DATE: DEC - 2020																											
TITLE:	VERTICAL ALIGNMENT REPORT																										
SCALE:	AS SHOWN																										
DRG. NO:	GPT/CCT/4B/HW/GEN/VER/01																										

TYPICAL CROSS SECTION



TCS-3 :-TYPICAL CROSS SECTION OF TWO LANE CARRIAGEWAY WITH HARD SHOULDER IN RURAL AREA WITH ONE SIDE TOE WALL
(RECONSTRUCTION OF EXISTING PAVEMENT)


[Signature]
DESIGN DIRECTOR

Shambhavi Techno Solutions Pvt. Ltd.
[Signature]
Managing Director

[Signature]
SUVADRA CONSULTANTS
Regd. No. 11/2004-05
BHUBANESHWAR

[Signature]
CHAITANYA PROJECTS CONSULTANCY PVT. LTD.
MH-10218
CEPT

APPROVED





TCS-4 :-TYPICAL CROSS SECTION OF TWO LANE CARRIAGEWAY WITH HARD SHOULDER IN RURAL AREA
(RECONSTRUCTION OF EXISTING PAVEMENT)

NOTES:

1. PAVEMENT THICKNESS AS PER PAVEMENT DESIGN REPORT.



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
R1	NOV	As Per AE Letter No. (0008)		 Bharat Varidya Eastern Pvt Ltd 114, Chittaranjan Avenue, Kolkata-700073, West Bengal	M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, R.K TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.	 SUVADRA CONSULTANTS Regd. No. 11/2004-05 BHUBANESHWAR PP-97, Tankapani Road, BBSR-18, Odisha	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 48, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tulai section of NH 102B from Km 32.835 to Km 48.567 (Package-2A) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	NOV - 2020	TYPICAL CROSS SECTION	AS SHOWN	R1



NOTES:



1. PAVEMENT THICKNESS AS PER PAVEMENT DESIGN REPORT.

Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN	AMIT	TITLE:	TYPICAL CROSS SECTION	REV:	
R1	NOV	As Per AE Letter No. (0008)		 Bharat Varziya Engineers Pvt. Ltd. 114, Chittaranjan Avenue, Kolkata-700073, West Bengal	 M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-6/2ND FLOOR, R.K TOWER, SECTOR 4, VASRAHALLI, GHAZIABAD-201010.	 SUVADRA CONSULTANTS Pvt.Ltd. C-6/2ND FLOOR, R.K TOWER, SECTOR 4, VASRAHALLI, GHAZIABAD-201010.	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Tankapani Road, S.K.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 48, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuival section of NH 102B from Km 32.835 to Km 48.587 (Package-2A) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	CHECKED	VIPUL	SCALE:	AS SHOWN	R1	
											DATE:	NOV - 2020	DRG.NO:	BVE/CCT/2A/HW/GEN/TC/03	



1. PAVEMENT THICKNESS AS PER PAVEMENT DESIGN REPORT.

Rev.	Date	Description	 NAIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	CLIENT:  BVE Bhuvan Varadachari Engineers Pvt. Ltd. 114, Chittaranjan Avenue, Kolkata-700073, West Bengal	EPC CONTRACTOR:  M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5/2D FLOOR, R.K. TOWER, SECTOR-4, VASAHALI, GHAZIABAD-201010.	AUTHORITY ENGINEER:  M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5/2D FLOOR, R.K. TOWER, SECTOR-4, VASAHALI, GHAZIABAD-201010.	SAFETY CONSULTANT:  PP-97, Tankapuri Road, RRSR-12, Odisha	PROOF CONSULTANT:  SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	DESIGN CONSULTANT:  SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megaplots, Sector 48, Gurugram, Haryana - 122018.	PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuival section of NH 102B from Km 32.835 to Km 48.587 (Package-2A) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DRAWN AMIT DESIGNED DHEERESH CHECKED VIPUL	TITLE: TYPICAL CROSS SECTION SCALE: AS SHOWN	REV: R1
R1	NOV	As Per AE Letter No. (0008)									DATE: NOV - 2020 DWG. NO: BVE/CCT/2A/HW/GEN/TCS/04		




NOTES:

1. PAVEMENT THICKNESS AS PER PAVEMENT DESIGN REPORT.


Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN	AMIT	TITLE:	TYPICAL CROSS SECTION	REV.
R1	NOV	As Per AE Letter No. (0008)		 Bharat Vastu Engineering Pvt Ltd 114, Chittaranjan Avenue, Kolkata-700073, West Bengal	 M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5/2ND FLOOR, R.K TOWER, SECTOR-4 VAISHALI, GHAZIABAD-201010.	 SUVEDRA CONSULTANTS Civil, Survey, Structural & Engineering Consultants Plot No. 10, Sector-10, Gurgaon-122001	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.k.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 516 & 511, JMD Megaplots, Sector 48, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churechandpur to Tuivai section of NH 102B from Km 32.835 to Km 48.587 (Package-2A) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DRAWN	AMIT	TITLE:	TYPICAL CROSS SECTION	REV.
										DESIGNED	DHEERESH	SCALE:	AS SHOWN	R
										CHECKED	VIPUL			
										DATE:	NOV - 2020	DRG. NO:	BVE/CCT/2A/HW/GEN/TCS/05	

Vipul Arora
DESIGN DIRECTOR

Shambhavi Techno Solutions Pvt. Ltd.
Manish
Managing Director



TCS-9 :- TYPICAL CROSS SECTION OF TWO LANE CARRIAGEWAY WITH HARD SHOULDER AT CUTTING SECTION IN RURAL AREA WITH BREAST WALL ON HILL SIDE
(RECONSTRUCTION OF EXISTING PAVEMENT)



TCS-10 :- TYPICAL CROSS SECTION OF TWO LANE CARRIAGEWAY WITH HARD SHOULDER IN RURAL AREA WITH RETAINING WALL ON VALLEY SIDE
(RECONSTRUCTION OF EXISTING PAVEMENT)

NOTES:

1. PAVEMENT THICKNESS AS PER PAVEMENT DESIGN REPORT.


Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROJECT CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
R1	NOV	As Per AE Letter No. (0008)	MIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	BVE Bharan Varaha Eastern Pvt Ltd 114, Chittaranjan Avenue, Kolkata-700073, West Bengal	M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, RK TOWER, 8/SECTOR-4, VAISHALI, GHAZIABAD-201010.	SUVADRA CONSULTANTS P-97, Tankapani Road, BBSR-18, Odisha	SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 48, Gurgaon, Haryana - 122016.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 32.835 to Km 48.587 (Package-2A) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	NOV - 2020	TYPICAL CROSS SECTION	AS SHOWN	R1
														DRG. NO: BVE/CCT/2A/HW/GEN/TCS/06		




(RECONSTRUCTION OF EXISTING PAVEMENT)

1. PAVEMENT THICKNESS AS PER PAVEMENT DESIGN REPORT.

Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	AMIT	TITLE:	TYPICAL CROSS SECTION	
R1	NOV	As Per AE Letter No. (0008)		 Bharat Vidyut Engineering Pvt Ltd 114, Chitranganj Avenue, Kolkata-700073, West Bengal	 M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, R.K TOWER, SECTOR-4,VAISHALI, GHAZIABAD-201010.	 SUVDRA CONSULTANTS G-14, NARAYAN PURI, CHANDIGARH Ph: 98150-12345, 98150-12346, 98150-12347 PP-97, Tankapana Road, BBSR-18, Odisha	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapolis, Sector 48, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 32.835 to Km 48.587 (Package-2A) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DRAWN:	AMIT	TITLE:	TYPICAL CROSS SECTION	
										DESIGNED:	DHEERESH	SCALE:	AS SHOWN	REV:
										CHECKED:	VIRUL			R1
										DATE:	NOV - 2020	DRG. NO.:	BVE/CCT/2A/HW/GEN/TCS/07	



TCS-12 :-TYPICAL CROSS SECTION OF TWO LANE CARRIAGEWAY WITH HARD SHOULDER AT RECONSTRUCTION STRETCH IN RURAL AREA WITH RETAINING WALL ON VALLEY SIDE AND BREAST WALL ON HILL SIDE
(RECONSTRUCTION OF EXISTING PAVEMENT)



TCS-13 :-TYPICAL CROSS SECTION OF TWO LANE CARRIAGEWAY WITH HARD SHOULDER IN RURAL AREA WITH BOTH SIDE RETAINING WALL ON VALLEY SIDE
(RECONSTRUCTION OF EXISTING PAVEMENT)

NOTES:

1. PAVEMENT THICKNESS AS PER PAVEMENT DESIGN REPORT.

Rev.	Date	Description	 NAIDCL BUILDING INFRASTRUCTURE · BUILDING THE NATION	 BVE Bharat Varaha Eastern Pvt Ltd 114, Chittaranjan Avenue, Kolkata-700073, West Bengal	 M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5/2ND FLOOR, R.K TOWER, SECTOR-4, VARSHALI, CHAZIABAD-201010.	 SUYADRA CONSULTANTS No. 54/609, 752, 1st Floor, 1st Main Road, Sector-10, Gurgaon-122001.	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 48, Gurugram, Haryana - 122018.	PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tulvai section of NH 102B from Km 32.835 to Km 48.567 (Package-2A) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DRAWN	AMIT	TITLE: TYPICAL CROSS SECTION	REV: R1	
R1	NOV	As Per AE Letter No. (0008)								DESIGNED	DHEERESH			SCALE: AS SHOWN
										CHECKED	VIPUL	DATE: NOV - 2020	DRG.No: BVE/CCT/2A/HW/GEN/TCs/08	

PLAN AND LONGITUDINAL PROFILE

A blue horizontal line spans the width of the page below the title. A purple vertical line is positioned on the right side of the page, intersecting the blue horizontal line.

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUGGA RESI.
SP-I/C : SEMI PUGGA COMM.
P-I/R : PUGGA RESIDENTIAL
P-I/C : PUGGA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
D/W EDGE
CEN.LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI

Row to be verified at site




Shambhavi Techno Solutions Pvt. Ltd

Managing Director

DESIGN DIRECTOR



APPROVED



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5/2ND FLOOR, R.K TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.	GPT JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5/2ND FLOOR, R.K TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.	SUVADRA CONSULTANTS PP-97, Tankapani Road, BBSR-18, Odisha.	SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001.	SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 46, Gunagam, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 130+000 to Km 130+500)	(HOR - 1:1000; VER - 1:100 at A2 Size Sheet) HOR 10 5 0 5 10 VER 5 0 5 10	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
 K-I/R : KACHA RESIDENTIAL
 K-I/C : KACHA COMMERCIAL
 SP-I/R : SEMI PUCCA RESI.
 SP-I/C : SEMI PUCCA COMM.
 P-I/R : PUCCA RESIDENTIAL
 P-I/C : PUCCA COMMERCIAL
 1000 CONTOUR

PROPOSED PLAN :

TOE LINE
 ES EDGE
 HS EDGE
 C/W EDGE
 GEN. LINE
 C/W EDGE
 HS EDGE
 ES EDGE
 TOE LINE
 HOR. TANGENT POINT
 PROW
 PROPOSED ROW
 GULVERT
 BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
 EXIS. ROAD LEVEL
 LEFT 6M LEVEL
 EXIST. LEVEL AT PRO. CL
 RIGHT 6M LEVEL
 VER. TANGENT POINT
 GRID LINE
 BOX CULVERT

CHURACHANDPUR


APPROVED




DESIGN DIRECTOR

Shambhavi Techno Solutions Pvt. Ltd.


Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	DRG. NO:	REV:
			MAIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	GPT JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5/2ND FLOOR, RK TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010	SUVADRA CONSULTANTS PP-97, Tankapani Road, BBSR-18, Odisha	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 46, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 130+000 to Km 130+500)	1:1000 (HORIZ.) 1:100 (VERT.)	GPT/CCT/4B/HW/PNP/01a	R0

BOX CULVERT

APPROVED



Shambhavi Techno Solutions Pvt. Ltd


Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN: AMIT	TITLE:	REV:
			 NAIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	 GPT GROUP JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	 M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, R.K.TOWER, SECTOR-4,VASISHTALI, GHAZIABAD-201010.	 SUVADRA CONSULTANTS # 510 & 511, JMD Megaopolis, Sector 48, Gurugram, Haryana - 122016.	 SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.k.Puri, Boring Road, Patna-800001	 SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megaopolis, Sector 48, Gurugram, Haryana - 122016.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuival section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DESIGNED: DHEERESH CHECKED: VIPUL DATE: DEC - 2020	Plan & Longitudinal Profile (From Km 130+500 to Km 131+000) SCALE: (HOR : 1 : 1000, VER : 1 : 100 at A2 Size Sheet)  DRG. NO: GPT/CCT/4B/HW/PNP/ 02	RO

LEGEND :

EXISTING PLAN :

EXIST. ROAD
 K-I/R : KACHA RESIDENTIAL
 K-I/C : KACHA COMMERCIAL
 SP-I/R : SEMI PUCCA RESI.
 SP-I/C : SEMI PUCCA COMM.
 P-I/R : PUCCA RESIDENTIAL
 P-I/C : PUCCA COMMERCIAL
 1000 CONTOUR

PROPOSED PLAN :

TOE LINE
 ES EDGE
 HS EDGE
 G/W EDGE
 GEN. LINE
 D/W EDGE
 HS EDGE
 ES EDGE
 TOE LINE
 HOR. TANGENT POINT
 PROW
 PROPOSED ROW
 GULVERT
 BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
 EXIS. ROAD LEVEL
 LEFT 6M LEVEL
 EXIST. LEVEL AT PRO. CL
 RIGHT 6M LEVEL
 VER. TANGENT POINT
 GRID LINE
 BOX CULVERT

CHURACHANDPUR


APPROVED



DESIGN DIRECTOR

Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description



EPC CONTRACTOR:
GPT
 JC - 25, Sector - III, Salt Lake,
 Kolkata - 700098.

AUTHORITY ENGINEER:
 M/S CHAITANYA PROJECTS
 CONSULTANCY PVT. LTD.
 IN ASSOCIATION WITH MSPARK
 FUTURISTICS & ASSOCIATES
 C-6/2ND FLOOR, RK TOWER,
 SECTOR-4, VAISHALI, GHAZIABAD-201010.

SAFETY CONSULTANT:
SUVADRA
 CONSULTANTS
 PP-97, Tankapani Road,
 BBSR-18, Odisha

PROOF CONSULTANT:
SHAMBHAVI TECHNO
SOLUTIONS PVT. LTD.
 E-82, Rajesh Kumar Path,
 S.K.Puri, Boring Road,
 Patna-800001

DESIGN CONSULTANT:
SPS Technocrats Pvt. Ltd.
 # 510 & 511, JMD Megapolis, Sector 48,
 Gurugram, Haryana - 122018.

PROJECT:
 Widening to 2 (Two) Lane with Hard
 shoulder of Churachandpur to Tuivai section
 of NH 102B from Km 130.000 to Km 141.029
 (Package-4B) in the State of Manipur on
 Engineering, Procurement & Construction
 (EPC) mode.

DRAWN: AMIT
 DESIGNED: DHEERESH
 CHECKED: VIPUL
 DATE: DEC - 2020

TITLE: **Plan & Longitudinal Profile**
 (From Km 130+500 to Km 131+000)
 SCALE: 1:1000 (HORIZONTAL) / 1:100 (VERTICAL)
 REV: **R0**
 DRG. NO: **GPT/CCT/4B/HW/PNP/02a**

BOX CULVERT

TITLE: Plan & Longitudinal Profile <i>(From Km 131+000 to Km 131+500)</i>		REV: R0
SCALE: HOR 1:1000; VER 1:100 at A2 Size Sheet 		
DRG. NO: GPT/CCT/4B/HW/PPN/03		

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
G/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW - PROPOSED ROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED




Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description



EPC CONTRACTOR:
GPT
JC - 25, Sector - III, Salt Lake, Kolkata - 700098.

AUTHORITY ENGINEER:
M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.
IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES
C-5, 2ND FLOOR, RK TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.

SAFETY CONSULTANT:
SUVADRA
PP-97, Tankapuri Road, BBSR-18, Odisha.

PROOF CONSULTANT:
SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.
E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001.

DESIGN CONSULTANT:
SPS Technocrats Pvt. Ltd.
510 & 511, JMD Megapolis, Sector 48, Gurgaon, Haryana - 122018.

PROJECT:
Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 131+000 to Km 141+029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.

DRAWN: AMIT
DESIGNED: DHEERESH
CHECKED: VIPUL
DATE: DEC - 2020

TITLE: **Plan & Longitudinal Profile**
(From Km 131+000 to Km 141+500)
SCALE: (HCR - 1:1000; VER - 1:100 in A2 Size Sheet)
REV: **R0**
DRG. NO: **GPT/CCT/4B/HW/PNP/03a**

LEGEND :

EXISTING PLAN :


EXIST. ROAD
 K-I/R : KACHA RESIDENTIAL
 K-I/C : KACHA COMMERCIAL
 SP-I/R : SEMI PUCCA RESI.
 SP-I/C : SEMI PUCCA COMM.
 P-I/R : PUCCA RESIDENTIAL
 P-I/C : PUCCA COMMERCIAL
 1000 CONTOUR

PROPOSED PLAN :

TOE LINE
 ES EDGE
 HS EDGE
 C/W EDGE
 GEN. LINE
 D/W EDGE
 HS EDGE
 ES EDGE
 TOE LINE
 HOR. TANGENT POINT
 PROW - PROPOSED ROW
 GULVERT
 BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
 EXIS. ROAD LEVEL
 LEFT 6M LEVEL
 EXIST. LEVEL
 AT PRO. CL
 RIGHT 6M LEVEL
 VER. TANGENT POINT
 GRID LINE
 BOX CULVERT



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	DRG. NO.	REV:
			MAIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	GPT JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-5, 2ND FLOOR, RK TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010	SUVADRA CONSULTANTS PP-97, Tankapani Road, BBSR-18, Odisha	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD. E-82, Rajesh Kumar Path, S.K. Puri, Boring Road, Patna-800001	SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 48, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 131+500 to Km 132+000)	1:1000 (HORIZ.) 1:100 (VERT.)	GPT/CCT/4B/HW/PNP/04	RO

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR


PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW - PROPOSED ROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

Level Datum = 750(m)



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD.	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES	SUVADRA CONSULTANTS	SHAMBHAVI TECHNO SOLUTIONS PVT.LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 131+500 to Km 132+000)	1:1000	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD

K-I/R : KADHA RESIDENTIAL
K-I/C : KADHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL

1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE

HOR. TANGENT POINT

PROW PROPOSED ROW

CULVERT


BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT

GRID LINE

BOX CULVERT



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	DRG. NO.:	REV:
			M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES	GPT GROUP	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES	SUVADRA CONSULTANTS	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 132+000 to Km 132+500)	1:1000 (HORIZ) 1:100 (VERT)	GPT/CCT/4B/HW/PNP/05	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KADHA RESIDENTIAL
K-I/C : KADHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
DULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL AT PRD. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA CONSULTANTS	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipal on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPL	DEC - 2020	Plan & Longitudinal Profile (From Km 132+000 to Km 132+500)	1:1000	RO



LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUGGA RESI.
SP-I/C : SEMI PUGGA COMM.
P-I/R : PUGGA RESIDENTIAL
P-I/C : PUGGA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
G/W EDGE
CEN.LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW PROPOSED ROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	DRS. NO.:	REV:
			M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES	SUVADRA CONSULTANTS	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 133+000 to Km 133+500)	1:1000 (HORIZ) 1:100 (VERT)	GPT/CCT/4B/HW/PNP/07	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KADHA RESIDENTIAL
K-I/C : KADHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR


PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

Level Datum = 755(m)



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 133+000 to Km 133+500)	1:1000 (H) 1:100 (V)	R0
			CHURACHANDPUR	JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	C-5, 2ND FLOOR, RK TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.	PP-97, Tankapali Road, BBSR-18, Odisha	E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	# 510 & 511, JMD Nagapols, Sector 48, Gurugram, Haryana - 122018.						GPT/CCT/4B/HW/PNP/07a		

CHURACHANDPUR

TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Diagram illustrating a box culvert structure. The culvert is shown as a rectangular opening with a width of 10.0m and a height of 5.0m. The top edge is labeled "GRID LINE". The structure is labeled "BOX CULVERT".



APPROVED



W. J. Stone
DESIGN DIRECTOR


Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN	AMIT	TITLE:
									Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DESIGNED DHEERESH	CHECKED VIPUL	Plan & Longitudinal Profile (From Km 133+500 to Km 134+000)
			BUILDING INFRASTRUCTURE - BUILDING THE NATION	JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, R.K.TOWER, SECTOR-14,VAISHALI, GHATKOT,RAJ-201010.	C B R SULTAN R W S (A-504861) 302A Connaught Place, New Delhi-110008.	SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.k.Puri, Boring Road, Gurgaon, Haryana - 122016.	SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 48, Gurugram, Haryana - 122016.	HOR - 1 : 1000; VER - 1 : 100 @ A2 (See Sheet)	SCALE:	DATE: DEC - 2020	DRG. No: GPT/CCT/4B/HW/PNP/08
						PP-97, Tankapani Road, BBSR-18, Odisha						

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN.LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT

PROW PROPOSED ROW

CULVERT

BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT

GRID LINE

BOX CULVERT

Level Datum = 755(m)

PROP. ROAD LEVELS (m)

EXIST LEVELS
AT PROP. CL (m)

EXISTING ROAD
LEVEL (m)

HORIZONTAL
SCHEMATIC (L,R=m)

VERTICAL
SCHEMATIC (G=%)
(L,R=m)

WIDENING
SCHEMATIC (m)
LEFT
RIGHT

SUPERELEVATION
SCHEMATIC (e in %)
LEFT
RIGHT

CHAINAGE (m)

CHURACHANDPUR


TUIVAL

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description

CLIENT:

BUILDING INFRASTRUCTURE - BUILDING THE NATION

EPC CONTRACTOR:

JC - 25, Sector - III, Salt Lake, Kolkata - 700098.

AUTHORITY ENGINEER:

M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES
C-5, 2ND FLOOR, R.K. TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.

SAFETY CONSULTANT:

SUVADRA CONSULTANTS
PP-97, Tankapani Road, BBSR-18, Odisha

PROOF CONSULTANT:

SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.
E-82, Rajesh Kumar Path, S.K. Puri, Boring Road, Patna-800001

DESIGN CONSULTANT:

SPS Technocrats Pvt. Ltd.
510 & 511, JMD Megapolis, Sector 46, Gurgaon, Haryana - 122016.

PROJECT:

Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuival section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipal on Engineering, Procurement & Construction (EPC) mode.

DRAWN: AMIT
DESIGNED: DHEERESH
CHECKED: VIPUL
DATE: DEC - 2020

TITLE: Plan & Longitudinal Profile (From Km 133+500 to Km 134+000)
SCALE: (HOR - 1:1000; VER - 1:100 at A2 Size Sheet)
REV: R0
DRG. NO: GPT/CCT/4B/HW/PNP/08a

TITLE: Plan & Longitudinal Profile (From Km 134+000 to Km 134+500)		
SCALE:	(HOR : 1:1000, VER : 1:100 at A2 Size Sheet) HOR 10 0 10 20 VER 5 0 5 10 	REV: R0
DRG. NO: GPT/CCT/4B/HW/PNP/09		

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TDE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TDE LINE
HOR. TANGENT POINT
PROW
DULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPD CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 134+000 to Km 134+500)	1:1000 (H) 1:100 (V)	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
G/W EDGE
DEN.LINE
G/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS & ASSOCIATES	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.028 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 134+500 to Km 135+000)	1:1000 (H) 1:100 (V)	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 134+500 to Km 135+000)	1:1000	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-II/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-II/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-II/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.
Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MAIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	GPT JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, R.K. TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010	SUVADRA CONSULTANTS PP-97, Tankapani Road, BBSR-18, Odisha	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD. E-82, Rajesh Kumar Path, S.K. Puri, Boring Road, Patna-800001	SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapole, Sector 46, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) In the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 135+000 to Km 135+500)	(HOR - 1:1000; VER - 1:100 at A2 Size Sheet) HOR 10 0 10 20 VER 0 0 0 0	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/D : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/D : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/D : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
D/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 135+000 to Km 135+500)	1:1000	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KADHA RESIDENTIAL
K-I/D : KADHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/D : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/D : PUCCA COMMERCIAL

1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
DEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE

HOR. TANGENT POINT

PROW PROPOSED ROW

CULVERT

BRIDGE

PROPOSED PROFILE :


PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT

GRID LINE

BOX CULVERT

CHURACHANDPUR

TUIVAI



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.
Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	REV:
			MAIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	GPT JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, R.K.TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.	SUVADRA CONSULTANTS PP-97, Tankapani Road, BBSR-18, Odisha	SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapolis, Sector 48, Gurgaon, Haryana - 122018.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	R0
TITLE: Plan & Longitudinal Profile (From Km 135+500 to Km 136+000)										SCALE: (HOR - 1:1000; VER - 1:100 at A2 Size Sheet)		DATE: DEC - 2020		
PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.										DRAWN: AMIT		REV: R0		
DESIGN CONSULTANT: SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapolis, Sector 48, Gurgaon, Haryana - 122018.										DESIGNED: DHEERESH		DATE: DEC - 2020		
PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.										CHECKED: VIPUL		REV: R0		
PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.										DATE: DEC - 2020		REV: R0		
PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.										DATE: DEC - 2020		REV: R0		

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
DEN.LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW PROPOSED ROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT


CHURACHANDPUR

TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.
Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 135+500 to Km 136+000)	1:1000	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN.LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



DESIGN DIRECTOR

Shambhavi Techno Solutions Pvt. Ltd.
Managing Director

APPROVED

APPROVED

Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	DRS. NO:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD.	SUYADRA	SHAMBHAVI TECHNO SOLUTIONS PVT.LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 136+000 to Km 136+500)	1:1000	GPT/CCT/4B/HW/PNP/13	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
GEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) In the State of Manipal on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile	1:1000	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/D : KACHA COMMERCIAL
SP-I/R : SEMI PUGGA RESI.
SP-I/D : SEMI PUGGA COMM.
P-I/R : PUGGA RESIDENTIAL
P-I/D : PUGGA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description



EPC CONTRACTOR:
GPT
JC - 25, Sector - III, Salt Lake,
Kolkata - 700098.

AUTHORITY ENGINEER:
M/S CHAITANYA PROJECTS
CONSULTANCY PVT. LTD.
IN ASSOCIATION WITH MSPARK
FUTURISTICS AND ASSOCIATES
C-2ND FLOOR, R.K. TOWER,
SECTOR-4, VAISHALI, GHAZIABAD-201010.

SAFETY CONSULTANT:
SUVADRA
CONSULTANTS
PP-97, Tankapani Road,
BBSR-18, Odisha

PROOF CONSULTANT:
**SHAMBHAVI TECHNO
SOLUTIONS PVT. LTD.**
E-82, Rajesh Kumar Path,
S.K. Puri, Boring Road,
Patna-800001

DESIGN CONSULTANT:
SPS Technocrats Pvt. Ltd.
510 & 511, JMD Megapole, Sector 48,
Gurgaon, Haryana - 122018.

PROJECT:
Widening to 2 (Two) Lane with Hard
shoulder of Churachandpur to Tuivai section
of NH 102B from Km 130.000 to Km 141.029
(Package-4B) in the State of Manipur on
Engineering, Procurement & Construction
(EPC) mode.

DRAWN: AMIT
DESIGNED: DHEERESH
CHECKED: VIPUL
DATE: DEC - 2020

TITLE: **Plan & Longitudinal Profile**
(From Km 136+500 to Km 137+000)
SCALE: (HOR - 1:1000; VER - 1:100 at A2 Size Sheet)
HOR: 10 0 10 20
VER: 5 0 5 10
DRG. NO: **GPT/CCT/4B/HW/PNP/14**

REV:
R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURESTICS AND ASSOCIATES	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	RO
				JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	C-5/2ND FLOOR, R.K. TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.	PP-97, Tankapani Road, BBSR-18, Odisha	E-82, Rajesh Kumar Path, S.K. Puri, Boring Road, Patna-800001	# 510 & 511, JMD Megapole, Sector 48, Gurugram, Haryana - 122018.						

TITLE: Plan & Longitudinal Profile (From Km 136+500 to Km 137+000)		REV: RO
SCALE:	(HOR - 1 : 1000; VER - 1 : 100 at A2 Size Sheet) HOR 10 0 10 20 VER 5 0 5 10	
DRG. NO: GPT/CCT/4B/HW/PNP/ 14a		

EXISTING PLAN :

EXIST. ROAD

K-1/R : KACHA RESIDENTIAL
K-1/C : KACHA COMMERCIAL
SP-1/R : SEMI PUCCA RESI.
SP-1/C : SEMI PUCCA COMM.
P-1/R : PUGCA RESIDENTIAL
P-1/C : PUGCA COMMERCIAL

1000 CONTOUR

PROPOSED PLAN:

TOE LINE
 ES EDGE
 HS EDGE
 C/W EDGE
 GEN. LINE
 C/W EDGE
 HS EDGE
 ES EDGE
 TOE LINE
 HOR. TANGENT POINT


—PROW— PROPOSED ROW
 CULVERT
 BRIDGE

PROPOSED PROFILE :

 PROP. LEVEL
 EXIS. ROAD LEVEL
 LEFT 6M LEVEL
 EXIST. LEVEL AT PRO. CL
 RIGHT 6M LEVEL
 VER. TANGENT POINT
 GRID LINE
 BOX CULVERT

CHURACHANDPUR

TUIVAI



APPROVED

.....
DESIGN DIRECTOR

Shambhavi Techno Solutions Pvt. Ltd


Managing Director



CHINTANYA PROJECTS CONSULTANCY PVT. LTD.
 2
 PM-102-B
 CPM
 In association with
 MSPARC FUTURETECH & ASSOCIATES

CONSULTANT:
SHAMBHAVI TECHNO
SOLUTIONS PVT.LTD.
E-82, Rajesh Kumar Path,
S.k.Puri, Boring Road,
Patna-800001

DESIGN CONSULTANT:
 **SPS Technocrats Pvt. Ltd.**
 # 510 & 511, JMD Megapolis, Sector 48,

PROJECT:
Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.

DRAWN	AMIT
DESIGNED	DHEERESH
CHECKED	VIPUL
DATE: DEC - 2020	

TITLE: **Plan & Longitudinal Profile**
(From Km 137+000 to Km. 137+500)

SCALE: (HOR - 1 : 1000; VER - 1 : 100 at A2 Size Sheet)

 HOR 10 0 10 20
 VER 0 5 10

DRG. No: **GPT/CCT/4B/HW/PNP/15**

20

REV: R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN.LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW - PROPOSED ROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KAGHA RESIDENTIAL
K-I/C : KAGHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR


PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX DULVERT

Level Datum = 645(m)



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	DRS. NO.:	REV:
			MAIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	GPT/CCT/4B/HW/PPN/16a	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
C/W EDGE
GEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW PROPOSED ROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.
Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	DRG. NO.:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	GPT/CCT/4B/HW/PNP/17	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KADHA RESIDENTIAL
K-I/C : KADHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipal on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 138+000 to Km 138+500)	1:1000	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KAGHA RESIDENTIAL
K-I/D : KAGHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/D : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/D : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



DESIGN DIRECTOR

Shambhavi Techno Solutions Pvt. Ltd.

Managing Director

SUVADRA CONSULTANTS
Regd. No. 11/2004-05
BHUBANESWAR

APPROVED

CHAITANYA PROJECTS CONSULTANTS
In association with
MSPARK FUTURISTICS & ASSOCIATES

Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL BUILDING INFRASTRUCTURE - BUILDING THE NATION	GPT JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES C-52ND FLOOR, R.K.TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.	SUVADRA PP-97, Tankapani Road, BBSR-18, Odisha	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapolis, Sector 48, Gurgaon, Haryana - 122016.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) In the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 138+500 to Km 139+000)	(HOR - 1:1000; VER - 1:100 at A2 Size Sheet) HOR 10 0 10 20 VER 5 0 5 10	RO

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUGGA RESI.
SP-I/C : SEMI PUGGA COMM.
P-I/R : PUGGA RESIDENTIAL
P-I/C : PUGGA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
D/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HDR. TANGENT POINT

PROW PROPOSED ROW

CULVERT

BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT

GRID LINE

BOX CULVERT

Level Datum = 580(m)

PROP. ROAD LEVELS (m)

EXIST LEVELS AT PROP. CL (m)

EXISTING ROAD LEVEL (m)

HORIZONTAL SCHEMATIC (L,R=m)

VERTICAL SCHEMATIC (G=%)

SCHEMATIC (L,R=m)

WIDENING SCHEMATIC (m)

LEFT RIGHT

SUPERELEVATION SCHEMATIC (e in %)

LEFT RIGHT

CHAINAGE (m)

Rev. Date Description

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



EPC CONTRACTOR:
GPT
JC - 25, Sector - III, Salt Lake,
Kolkata - 700098.

AUTHORITY ENGINEER:
M/S CHAITANYA PROJECTS
CONSULTANCY PVT. LTD.
IN ASSOCIATION WITH MSPARK
FUTURISTICS AND ASSOCIATES
C-52ND FLOOR, RKTOWER,
SECTOR-4, VAISHALI, GHAZIABAD-201010.

SAFETY CONSULTANT:
SUVADRA
C/O R S D L & A & T S
(Incorporated in India)
Safar Building, 1st Floor, 1st Cross Road, 1st Floor, 1st Cross Road,
Gurgaon, Haryana - 122002.

PROOF CONSULTANT:
**SHAMBHAVI TECHNO
SOLUTIONS PVT. LTD.**
E-82, Rajesh Kumar Path,
S.K. Puri, Boring Road,
Patna-800001

DESIGN CONSULTANT:
SPS Technocrats Pvt. Ltd.
510 & 511, JMD Megapolis, Sector 48,
Gurgaon, Haryana - 122018.

PROJECT:
Widening to 2 (Two) Lane with Hard
shoulder of Churachandpur to Tuivai section
of NH 102B from Km 130.000 to Km 141.029
(Package-4B) in the State of Manipur on
Engineering, Procurement & Construction
(EPC) mode.

DRAWN AMIT
DESIGNED DHEERESH
CHECKED VIPUL
DATE: DEC - 2020

TITLE: **Plan & Longitudinal Profile**
(From Km 138+500 to Km 139+000)
SCALE: (HOR: 1:1000; VER: 1:100 at A2 Size Sheet)
HOR 10 0 10 20
VER 5 0 5 10
REV: **RO**
DRG. NO: **GPT/CCT/4B/HW/PNP/18a**

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/D : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/D : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/D : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES	SUVADRA CONSULTANTS	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 139+000 to Km 141+029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 139+000 to Km 139+500)	1:1000	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT

PROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			MIDCL	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 139+000 to Km 139+500)	1:1000 (HOR) 1:100 (VER)	R0

TITLE:	Plan & Longitudinal Profile (From Km 139+500 to Km 140+000)	REV:
SCALE:	(HOR - 1:1000; VER - 1:100 at A2 Size Sheet) HOR 10 0 10 20  VER 5 0 5 10 	RO
DRG. NO:	GPT/CCT/4B/HW/PNP/ 20	

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/D : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/D : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/D : PUCCA COMMERCIAL
1000 CONTOUR


PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
GEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

Level Datum = 525(m)



Rev.	Date	Description

CLIENT:

EPD CONTRACTOR:

AUTHORITY ENGINEER:

SAFETY CONSULTANT:

PROOF CONSULTANT:

DESIGN CONSULTANT:

PROJECT:

Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.

DRAWN: AMIT

DESIGNED: DHEERESH

CHECKED: VIPUL

DATE: DEC - 2020


TITLE: Plan & Longitudinal Profile (From Km 139+300 to Km 140+000)

SCALE: (HORIZ: 1:1000; VERT: 1:100 at A2 Size Sheet)

DRG. No: GPT/CCT/4B/HW/PNP/ 20a

REV: R0

BDX CULVERT



APPROVED



Managing Director



Rev.	Date	Description	CLIENT:  BUILDING INFRASTRUCTURE - BUILDING THE NATION	EPC CONTRACTOR:  JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	AUTHORITY ENGINEER:  M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURETISTICS AND ASSOCIATES C-4/2ND FLOOR, RK TOWER, SECTOR-A,VASIHANU GHAZARAD-201010	SAFETY CONSULTANT:  PP-97, Tankapani Road, RPSR-18, Odisha	PROOF CONSULTANT:  SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.k.Puri, Boring Road, Patna-800001	DESIGN CONSULTANT:  SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Megapolis, Sector 48, Gurgaon, Haryana - 122018.	PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churahandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DRAWN : AMIT DESIGNED : DHEEREHBH CHECKED : VIPUL DATE : DEC - 2020	TITLE: Plan & Longitudinal Profile (From Km 140+000 to Km 140+500) SCALE: HOR : 1 : 1000; VER : 1 : 100 at A2 Size Sheet HOR 10 0 10 20 VER 5 0 5 10 DRG.No: GPT/CCT/4B/HW/PNP/ 21	REV: R0
-------------	-------------	--------------------	--	---	--	---	---	---	---	--	---	--------------------------

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KAGHA RESIDENTIAL
K-I/C : KAGHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
GEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuval section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) in the State of Manipal on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 140+000 to Km 140+500)	1:1000 (HOR) 1:100 (VER)	R0
			CHURACHANDPUR	JC - 25, Sector - III, Sell Lake, Kolkata - 700098.	PP-97, Tankapani Road, BBSR-18, Odisha	PP-97, Tankapani Road, BBSR-18, Odisha	E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	# 510 & 511, JMD Megapolis, Sector 48, Gurugram, Haryana - 122018.								

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUGGA RESI.
SP-I/C : SEMI PUGGA COMM.
P-I/R : PUGGA RESIDENTIAL
P-I/C : PUGGA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :


TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW - PROPOSED ROW
CULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR

TUIVAI



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	TITLE:	SCALE:	REV:
			NAIDCL	GPT	M/S CHANTANYA PROJECTS CONSULTANCY PVT. LTD. IN ASSOCIATION WITH MSPARK FUTURISTICS AND ASSOCIATES	SUVADRA	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.028 (Package-48) in the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	Plan & Longitudinal Profile (From Km 140+300 to Km 141+166.964)	1:1000	R0

LEGEND :

EXISTING PLAN :

EXIST. ROAD
K-I/R : KACHA RESIDENTIAL
K-I/C : KACHA COMMERCIAL
SP-I/R : SEMI PUCCA RESI.
SP-I/C : SEMI PUCCA COMM.
P-I/R : PUCCA RESIDENTIAL
P-I/C : PUCCA COMMERCIAL
1000 CONTOUR

PROPOSED PLAN :

TOE LINE
ES EDGE
HS EDGE
C/W EDGE
CEN. LINE
C/W EDGE
HS EDGE
ES EDGE
TOE LINE
HOR. TANGENT POINT
PROW
GULVERT
BRIDGE

PROPOSED PROFILE :

PROP. LEVEL
EXIS. ROAD LEVEL
LEFT 6M LEVEL
EXIST. LEVEL
AT PRO. CL
RIGHT 6M LEVEL
VER. TANGENT POINT
GRID LINE
BOX CULVERT

CHURACHANDPUR


TUIVAI

APPROVED



Shambhavi Techno Solutions Pvt. Ltd.

Managing Director



Rev.	Date	Description	CLIENT:	EPC CONTRACTOR:	AUTHORITY ENGINEER:	SAFETY CONSULTANT:	PROOF CONSULTANT:	DESIGN CONSULTANT:	PROJECT:	DRAWN:	DESIGNED:	CHECKED:	DATE:	REV:
			M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	GPT	M/S CHAITANYA PROJECTS CONSULTANCY PVT. LTD.	SUVADRA CONSULTANTS	SHAMBHAVI TECHNO SOLUTIONS PVT. LTD.	SPS Technocrats Pvt. Ltd.	Widening to 2 (Two) Lane with Hard shoulder of Churachandpur to Tuivai section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) In the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	AMIT	DHEERESH	VIPUL	DEC - 2020	R0
				JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	C-52ND FLOOR, R.K.TOWER, SECTOR-4, VAISHALI, GHAZIABAD-201010.	PP-97, Tankapani Road, BBSR-18, Odisha	E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001	# 510 & 511, JMD Megapole, Sector-48, Gurugram, Haryana - 122018.						

EXIST. ROAD

1000 CONTOUR

Diagram illustrating the relationship between line types and their corresponding road markings:

- TOE LINE (Green solid line)
- ES EDGE (Black dashed line)
- HS EDGE (Red dashed line)
- C/W EDGE (Black solid line)
- CEN.LINE (Red dashed line)
- C/W EDGE (Black solid line)
- HS EDGE (Red dashed line)
- ES EDGE (Black dashed line)
- TOE LINE (Green solid line)

PROW PROPOSED ROW

BRIDGE

 PROP. LEVEL
 EXIS. ROAD LEVEL
 LEFT 6M LEVEL
 EXIST. LEVEL
 AT PRO. GL
 RIGHT 6M LEVEL
 VER. TANGENT
 POINT

VER. T
POINT

5.0 GRID LINE

100

BOX CULVERT

BRIDGE NO : 01
CHAINAGE : 141016
TYPE : STEEL COMPOSITE
SIZE : 2X4.3m + 1X24
PROPOSAL : RECONSTRUCTION.

Level Datum = 470(m)

APPROVED




Managing Director



Rev.	Date	Description	CLIENT:  NAIDCL BUILDING INFRASTRUCTURE. BUILDING THE NATION	EPC CONTRACTOR:  GPT JC - 25, Sector - III, Salt Lake, Kolkata - 700098.	AUTHORITY ENGINEER:  M/S CHAITANYA PROJECTS CONSULTANCY PVT.LTD. IN ASSOCIATION WITH MSPARK FUTURETISTICS AND ASSOCIATES C-5-2ND FLOOR, RJK TOWER, SECTOR-9, VAISHALI, GHAZIABAD-201010.	SAFETY CONSULTANT:  SUVADRA CONSULTANTS 44, 56, 600, 222, Canal Road, New Market, Ghaziabad, U.P.	PROOF CONSULTANT:  SHAMBHAVI TECHNO SOLUTIONS PVT.LTD. E-82, Rajesh Kumar Path, S.K.Puri, Boring Road, Patna-800001.	DESIGN CONSULTANT:  SPS Technocrats Pvt. Ltd. # 510 & 511, JMD Margapoli, Sector 46, Gurugram, Haryana - 122018.	PROJECT: Widening to 2 (Two) Lane with Hard shoulder of Churahandpur to Tuival section of NH 102B from Km 130.000 to Km 141.029 (Package-4B) In the State of Manipur on Engineering, Procurement & Construction (EPC) mode.	DRAWN AMIT	TITLE: Plan & Longitudinal Profile (From Km 141+000 to Km 141+166.964)	REV: RO	
										DESIGNED DHEERESH	SCALE: (HOR - 1 : 1000, VER - 1 : 100 at A2 Size Sheet) HOR 10 0 10 20 VER 5 0 5 10	DATE: DEC - 2020	DRG. NO: GPT/CCT/4B/HW/PNP/ 22b